FS 2.60/9: 9/53

Morbidity and Mortality Weekly Report

PUBLIC HEALTH SERVICE
U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

Prepared by the COMMUNICABLE DISEASE CENTER MElrose 4-5131

October 30, 1961 Atlanta 22, Georgia Vol. 9, No. 53

ANNUAL SUPPLEMENT

Reported Incidence of Notifiable Diseases in the United States, 1960

This supplement contains final figures on the reported incidence of notifiable diseases in 1960 based on summaries submitted by the individual States of the United States.

The two outstanding developments in the trend of these diseases were the decline in the number of poliomyelitis cases and the increase in the number of hepatitis cases.

The graphs below show the numbers of cases of these diseases for the past ten and nine years, respectively. (National reporting of hepatitis did not begin until 1952).

Succeeding tables in this supplement present the data for the notifiable diseases in a variety of tables as described in the Index of Tables on page 2.

UNIVERSITY OF FLORIDA LIBRARIES
NOV 1961





INDEX OF TABLES

		Page
Table 1.	Diseases Covered by International Quarantine Agreement	3
Table 2.	Reported Cases of Specified Notifiable Diseases: United States, 1951 - 1960	4
Table 3.	(A) Deaths from Specified Notifiable Diseases: United States, 1950 - 1959	5
	(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1950 - 1959	6
Table 4.	Reported Cases of Notifiable Diseases by Month: United States, 1960	7
Table 5.	Reported Cases of Specified Notifiable Diseases: United States by State, 1960	8 - 11
Table 6.	Newly Reported Active Tuberculosis Cases by State, by Age, 1960	12
Table 7.	Reported Cases of Venereal Diseases in the United States, 1960 (Newly Reported Civilian Cases)	13
Table 8.	Reported Cases of Specified Notifiable Diseases by State by Age, 1960	
	(A) Diphtheria	14
	(B) Encephalitis, Total, Acute Infectious (includes post-infectious and reported arthropod-borne encephalitis)	15
	(C) Hepatitis (infectious and serum)	16
	(D) Meningococcal Infections	17
	(E) Poliomyelitis, Total and Paralytic	18 - 20
	(F) Typhoid Fever	21
Table 9.	Acute Diseases Optionally Reported to the Public Health Service, 1960	22 - 23
Table 10.	Other Diseases Optionally Reported to the Public Health Service, 1960 (Diseases reported by six States or less)	24

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available---------- . . .

Quantity zero---------- -

Table 1. DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT

Incidence in the United States in 1960

Cholera	0
Plague	2
Relapsing fever, louse-borne	0
Smallpox	0
Typhus, louse-borne (epidemic)	0
Yellow Fever	0

Plague Cases

Date and Place Acquired	Age and Sex	Outcome
February, New Mexico	23 year Male	Recovered
February, New Mexico	24 year Male	Recovered

Table 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1951 - 1960

DISEASE	1960[1]	1959[1]	1958	1957	1956	1955	1954	1953	1952	1951
Amebiasis	3,424	3,508	4,380	5,031	3,689	3,348	3,523	4,444	4,280	3,550
Anthrax	23	12	16	26	38	39	22	45	47	60
Aseptic Meningitis	1,593	.....not previously reportable nationally.....								
Botulism	12	20	6	28	17	16	18	18	18	33
Brucellosis (undulant fever)	751	892	924	983	1,300	1,444	1,823	2,032	2,537	3,139
Diphtheria	918	934	918	1,211	1,568	1,984	2,041	2,355	2,960	3,983
Encephalitis, acute infectious	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,935	1,912	1,123
Hepatitis, infectious and serum	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,700	17,428	.....
Leprosy	54	44	39	36	52	75	56	60	57	57
Leptospirosis	53	83	55	47	44	24	48	42	62	9
Malaria	72	71	85	132	234	522	715	1,310	7,023	5,600
Measles	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,146	683,077	530,118
Meningococcal infections	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,077	4,884	4,164
Meningitis, other	3,724	5,638	5,149	4,071	2,554	.....not previously reportable nationally.....				
Pertussis (whooping cough)	14,809	40,005	32,148	28,295	31,732	62,786	60,886	37,129	45,030	68,687
Plague	2	4	-	1	1	-	-	-	-	1
Poliomyelitis, Total	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,592	57,879	28,386
Paralytic	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,648	21,269	10,037
Nonparalytic	626	2,045	1,941	2,826	6,555	12,453	13,221	12,144	12,802	5,470
Unspecified	39	91	149	160	674	2,682	6,947	7,800	23,808	12,879
Psittacosis	113	147	158	278	568	334	563	169	135	25
Rabies in Man[2]	2	7	5	5	10	4	13	12	24	18
Rheumatic Fever, acute	9,022	8,285	6,889	6,427	6,562	....not previously reportable nationally.....				
Salmonellosis, excluding typhoid fever	6,929	6,606	6,363	6,693	6,704	5,447	5,375	3,946	2,596	1,773
Scarlet Fever and streptococcal sore throat	315,173	334,715	264,097	226,973	176,392	147,502	147,785	132,935	113,677	84,151
Shigellosis (bacillary dysentery)	12,487	12,888	11,861	9,822	10,306	13,912	13,846	16,533	23,197	32,215
Tetanus	368	445	445	447	468	462	524	506	484	506
Trichinosis	160	227	176	178	262	264	277	395	367	393
Tuberculosis (newly reported active cases)[3]	55,494	57,307	63,000	66,437	68,866	76,245	78,592	83,250	85,607	4/
Tularemia	390	459	587	601	522	584	681	601	668	702
Typhoid Fever	816	859	1,043	1,231	1,700	1,704	2,169	2,252	2,341	2,128
Typhus Fever, flea-borne (endemic, murine)	68	51	71	113	98	135	163	221	205	378
Typhus Fever, tick-borne (Rocky Mountain Spotted)	204	199	243	240	293	295	294	313	327	347
Venereal Diseases (newly reported cases)[5]										
Syphilis	122,003	120,766	113,894	123,758	130,168	122,392	130,697	148,573	167,762	174,924
Gonorrhea	258,933	240,158	232,513	214,496	224,342	236,197	242,050	238,340	244,957	254,470
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum	2,811	2,459	2,343	2,433	2,981	3,913	4,496	4,988	5,889	6,885
Rabies in Animals[6]	3,567	4,177	4,787	4,542	5,681	5,799	7,297	8,903	8,445	8,008

.. Figures include Alaska and Hawaii in 1960; Alaska from 1959 on. Both are excluded in prior years.
2. Figures for cases of rabies in man represent registered deaths, 1951 - 1959.
3. Figures are from the Tuberculosis Program, Public Health Service.
4. Status of new cases in 1951 not available.
5. Figures are from the Venereal Disease Program, Public Health Service (civilian cases only).
6. Figures for rabies in animals in 1951 are from Agricultural Research Service, U. S. Department of Agriculture.

Table 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1950 - 1959

(Figures for 1959 include Alaska, but excluded for prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH		1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
Amebiasis	046	124	86	95	130	106	131	129	136	148	136
Anthrax	062	-	1	2	-	-	-	-	3	3	5
Botulism	049.1	15	4	11	14	18	14	17	14	31	16
Brucellosis	044	12	8	8	9	10	15	18	23	34	36
Diphtheria	055	72	74	81	103	150	145	156	217	302	410
Encephalitis, acute infectious	082	570	537	465	424	398	407	386	471	429	394
Hepatitis, infectious	092	897	897	897	806	841	821	821	794	675	552
Leprosy	060	6	3	3	6	5	4	7	4	3	3
Leptospirosis	072	11	11	9	8	10	14	17	12	13	16
Malaria	110 - 117	7	6	14	11	18	24	32	25	64	76
Measles	085	385	552	389	530	345	518	462	618	683	468
Meningitis, except meningococcal and tuberculous	340	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918	1,881	1,839
Menigococcal infections	057	699	746	785	762	907	1,015	1,325	1,386	1,124	974
Pertussis (whooping cough)	056	269	177	183	266	467	373	270	402	951	1,118
Plague	058	1	-	-	1	-	-	-	-	-	1
Poliomyelitis	080	454	255	221	566	1,043	1,368	1,450	3,145	1,551	1,904
Bulbar or polioencephalitis	080.0	299	164	151	402	747	981	1,030	2,320	1,094	1,294
With other paralysis	080.1	24	21	13	38	53	65	60	95	59	66
Unspecified	080.3	131	70	57	125	243	321	360	730	398	544
Psittacosis	096.2	1	3	3	3	3	3	4	5	1	-
Rabies	094	7	5	5	10	4	13	12	24	18	18
Rheumatic Fever, acute	400 - 402	795	806	900	1,033	1,131	1,297	1,523	1,583	1,648	1,924
Salmonellosis, including paratyphoid fever	041 - 042	72	65	60	62	62	48	72	42	31	43
Scarlet Fever and Streptococcal Sore Throat	050 - 051	130	139	213	240	235	262	295	351	347	346
Shigellosis (bacillary dysentery)	045	133	157	156	156	187	243	337	334	356	335
Smallpox	084	-	-	-	-	-	-	1	-	1	1
Tetanus	061	283	303	279	246	265	332	337	360	394	336
Trichinosis	128	3	4	4	5	4	1	7	10	10	9
Tuberculosis (all Forms)	001 - 019	11,456	12,361	13,324	14,061	14,940	16,392	19,544	24,621	30,863	33,959
Tularemia	059	7	6	3	4	9	4	7	8	9	15
Typhoid Fever	040	22	23	34	54	34	45	52	78	83	96
Typhus Fever - flea-borne (murine)	101	-	-	2	-	-	-	-	-	-	-
Typhus Fever - tick-borne (Rocky Mountain Spotted)	104	10	14	18	16	8	10	21	20	26	31
Venereal Diseases and Sequelae											
Syphilis	020 - 029	3,069	3,469	3,825	3,870	3,834	4,835	5,273	5,854	6,445	7,821
Gonorrhea	030 - 035	25	18	21	28	23	15	29	45	43	37
Other	036 - 039	12	20	18	20	28	29	36	38	42	43

Source: National Office of Vital Statistics, Vital Statistics of the United States, Vol. 11, for respective year.

Table 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1950 - 1959

DISEASE		1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
Abscess of Lung	521	614	652	601	595	500	505	537	526	566	582
Boil and carbuncle	690	156	117	99	58	43	44	43	45	34	44
Other local skin conditions (cellulitis and abscess)	691-698	476	436	384	355	283	291	279	269	339	310
Chickenpox	087	141	146	113	116	88	120	132	101	94	87
Diarrhea of Newborn	764	492	531	516	527	547	700	697	773	687	730
Empyema and Pleurisy	518-519	468	424	450	416	429	433	410	425	385	460
Erysipelas	052	28	26	27	33	28	39	45	52	46	54
Fungal Infections											
Actinomycosis	132	27	21	15	24	23	17	30	25	37	36
Coccidioidomycosis	133	48	50	53	54	62	78	85	60	68	83
Blastomycosis	134.0	13	24	28	27	19	24	23	27	28	39
Cryptococcosis	134.1	84	39	55	66	74	56	48	46	39	31
Histoplasmosis	134.2	63	73	77	67	53	59	55	51	34	44
Moniliasis	134.3	101	93	82	105	87	75	77	82	70	88
Gastroenteritis and Colitis (Age 4 wks - 2 yrs)	571.0	2,862	3,066	3,412	3,166	3,663	3,900	4,588	4,869	4,397	4,173
Herpes febrilis	096.0	26	26	13	13	7	14	9	13	9	18
Herpes Zoster	088	58	46	47	52	45	44	61	53	65	36
Hydatid disease	125	8	14	5	8	8	8	8	6	8	7
Infections of Ear and Mastoid	390-394	399	434	404	387	474	459	472	471	494	542
Meningitis, excluding Meningococcal and Tuberculous	340	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918	1,881	1,839
Mononucleosis, infectious	093	21	16	15	18	10	16	12	19	14	9
Mumps	089	51	37	45	49	43	45	46	55	48	40
Pemphigus	704	168	142	170	149	172	150	164	200	263	283
Pemphigus, neonatorum	766	23	26	23	22	27	33	27	21	25	25
Respiratory infections											
Bronchitis, acute	500	1,135	1,352	1,202	1,105	1,080	990	1,010	1,038	980	1,036
Influenza	480-483	2,845	4,442	7,463	2,323	2,755	2,680	9,460	5,631	6,946	6,597
Pneumonia (primary cause of death)	490-493	52,194	52,997	53,538	44,780	41,755	38,311	42,778	40,634	41,223	40,523
Pneumonia of newborn	763	3,761	3,918	3,715	3,400	3,108	3,140	3,074	2,943	2,825	2,771
Upper respiratory infections, acute	470-475	971	936	1,045	901	904	954	1,043	1,067	909	781
Sepsis of											
Abortion	651	179	159	169	136	159	170	177	191	189	191
Childbirth	680-681	58	50	54	48	43	56	52	81	94	121
Newborn	767-768	786	1,055	832	662	518	485	388	356	387	320
Septicemia and Pyemia	053	1,760	1,663	1,351	1,118	938	897	783	726	677	616
Viral diseases, undifferentiated	096.9	384	308	267	302	312	255	254	324	312	232
Worm Infestation	126-130	65	63	56	59	60	61	93	93	89	89

Source: National Office of Vital Statistics, Vital Statistics of the United States, Vol. II, for respective year.

Table 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1960

Disease	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month not Stated
Amebiasis	3,424	256	221	297	314	339	304	233	373	261	269	319	238	-
Anthrax	23	-	-	6	-	4	-	-	2	3	-	2	6	-
Aseptic Meningitis	1,593	52	48	38	52	48	85	158	270	261	111	68	51	351
Botulism	12	3	-	-	-	-	1	2	2	2	-	-	2	-
Brucellosis (undulant fever)	751	62	65	51	102	82	58	70	61	54	53	40	40	13
Diphtheria	918	86	76	41	56	36	14	29	51	81	114	153	181	-
Encephalitis, acute infectious	2,341	147	138	200	210	195	234	201	244	246	168	151	149	58
Hepatitis, infectious and serum	41,666	3,033	3,109	3,522	3,683	3,375	2,812	2,586	3,211	3,276	3,818	4,170	5,069	2
Leprosy	54	4	5	8	1	5	4	3	9	3	1	6	4	1
Leptospirosis	53	3	-	3	-	5	5	8	4	8	6	11	-	-
Malaria	72	5	4	6	1	5	6	11	7	9	7	6	5	-
Measles	441,703	34,813	42,552	69,358	83,667	82,211	60,769	21,385	7,352	3,510	5,167	10,543	20,218	158
Meningococcal infections	2,259	232	253	249	192	178	175	142	132	131	189	186	199	1
Meningitis, Other	3,724	251	217	296	246	248	251	251	394	422	424	347	377	-
Pertussis (Whooping Cough)	14,809	2,023	1,533	1,350	1,610	1,223	1,242	1,209	1,184	1,096	795	782	745	17
Poliomyelitis, Total	3,190	75	56	44	50	68	167	420	719	709	476	225	181	-
Paralytic	2,525	60	42	36	40	51	136	316	539	563	413	186	143	-
Nonparalytic	626	15	13	8	9	15	28	94	172	143	62	35	32	-
Unspecified	39	-	1	-	1	2	3	10	8	3	3	2	6	-
Psittacosis	113	6	12	9	9	6	14	12	8	9	7	6	12	3
Rabies in man	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Rheumatic Fever, acute	9,022	816	751	907	912	846	867	756	660	616	609	664	582	36
Salmonellosis, excluding typhoid fever	6,929	403	410	442	416	479	510	546	757	914	614	784	646	8
Scarlet Fever and streptococcal sore throat	315,173	36,429	37,306	41,387	35,796	27,597	20,469	15,104	14,098	13,934	19,712	23,667	29,667	7
Shigellosis (bacillary dysentery)	12,487	1,865	604	694	671	664	989	1,158	1,321	1,337	1,174	1,095	913	2
Tetanus	368	19	22	12	28	36	37	30	40	36	47	26	35	-
Trichinosis	160	14	9	7	21	8	13	8	16	13	15	10	25	1
Tularemia	390	50	26	18	23	20	34	54	56	27	18	19	45	-
Typhoid Fever	816	37	46	28	58	86	72	95	86	96	81	63	62	6
Typhus fever, flea-borne (endemic - murine)	68	4	1	-	6	7	16	16	2	5	5	4	2	-
Typhus fever, tick-borne (Rocky Mountain Spotted)	204	1	-	1	4	28	42	49	41	25	6	5	2	-
Rabies in Animals	3,567	338	374	453	360	325	317	299	273	191	183	197	229	28

Table 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES BY STATE, 1960

AREA	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BOTULISM	BRUCELLOSIS	DIPHTHERIA	ENCEPHALITIS, INFECTIOUS	HEPATITIS
UNITED STATES	3,424	23	1,593	12	751	918	2,341	41,666
NEW ENGLAND	59	2	29	-	5	13	75	1,215
Maine	-	-	29	-	1	3	8	89
New Hampshire	-	-	-	-	-	-	-	70
Vermont	3	-	-	-	-	-	-	29
Massachusetts	5	2	-	-	1	9	29	548
Rhode Island	14	-	-	-	1	1	24	221
Connecticut	37	-	-	-	2	-	14	258
MIDDLE ATLANTIC	1,247	2	160	-	18	15	406	5,316
New York	1,133	1	-	-	9	6	160	2,719
New Jersey	91	-	121	-	3	1	99	441
Pennsylvania	23	1	39	-	6	8	147	2,156
EAST NORTH CENTRAL	358	1	224	4	97	38	371	7,368
Ohio	5	-	-	-	4	11	56	2,377
Indiana	8	-	53	-	9	8	90	937
Illinois	263	1	-	-	74	9	167	1,707
Michigan	79	-	171	4	5	9	55	2,113
Wisconsin	3	-	-	-	5	1	3	234
WEST NORTH CENTRAL	63	-	246	4	434	66	105	2,902
Minnesota	-	-	241	4	15	39	8	576
Iowa	13	-	-	-	308	9	15	460
Missouri	7	-	-	-	8	2	13	954
North Dakota	-	-	-	-	9	3	27	160
South Dakota	-	-	-	-	26	10	5	164
Nebraska	-	-	5	-	20	2	7	280
Kansas	43	-	-	-	48	1	30	308
SOUTH ATLANTIC	301	16	107	-	48	242	227	4,835
Delaware	-	-	-	-	-	-	-	277
Maryland	6	-	-	-	1	1	67	532
District of Columbia	11	-	19	-	-	-	12	68
Virginia	54	-	45	-	34	39	28	845
West Virginia	3	-	43	-	-	4	9	906
North Carolina	13	-	-	-	4	22	36	582
South Carolina	-	16	-	-	1	50	5	193
Georgia	12	-	-	-	5	53	15	324
Florida	202	-	-	-	3	73	55	1,108
EAST SOUTH CENTRAL	162	-	-	2	41	142	179	5,971
Kentucky	6	-	-	2	6	56	48	2,037
Tennessee	30	-	-	-	10	9	36	2,100
Alabama	109	-	-	-	16	40	19	1,283
Mississippi	17	-	-	-	9	37	76	551
WEST SOUTH CENTRAL	269	2	183	-	50	360	154	3,100
Arkansas	17	2	-	-	9	16	17	263
Louisiana	65	-	-	-	14	80	-*	200
Oklahoma	17	-	-	-	5	25	21	350
Texas	170	-	183	-	22	239	116	2,287
MOUNTAIN	333	-	-	-	25	40	123	3,215
Montana	-	-	-	-	3	3	4	202
Idaho	1	-	-	-	3	16	8	336
Wyoming	-	-	-	-	-	3	10	40
Colorado	13	-	-	-	2	3	50	1,177
New Mexico	39	-	-	-	1	4	7	364
Arizona	277	-	-	-	3	3	20	659
Utah	1	-	-	-	12	7	23	330
Nevada	2	-	-	-	1	1	1	107
PACIFIC	632	-	644	2	33	2	701	7,744
Washington	5	-	148	-	-	-	9	1,097
Oregon	54	-	-	-	3	-	43	1,129
California	567	-	496	-	29	1	643	5,039
Alaska	-	-	-	2	1	1	6	388
Hawaii	6	-	-	-	-	-	-	91
Puerto Rico	-	-	-	-	1	142	1	792

*Encephalitis, not specified as arthropod-borne not notifiable

Table 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES BY STATE, 1960 - Continued

AREA	LEPROSY	LEPTOSPIROSIS	MALARIA*	MEASLES	MENINGOCOCCAL INFECTIONS	MENINGITIS, OTHER **	PERTUSSIS (whooping cough)	PSITTACOSIS
UNITED STATES	54	53	72	441,703	2,259	3,724	14,809	113
NEW ENGLAND	-	1	5	44,355	143	425	821	6
Maine	-	1	1	3,538	16	33	173	-
New Hampshire	-	-	-	1,929	-	13	103	-
Vermont	-	-	-	3,266	5	5	45	-
Massachusetts	-	-	3	22,403	69	264	226	2
Rhode Island	-	-	-	1,892	15	57	43	-
Connecticut	-	-	1	11,327	38	53	231	4
MIDDLE ATLANTIC	8	2	8	64,347	394	745	1,297	36
New York	8	2	6	46,443	195	674	734	9
New Jersey	-	-	-	10,559	80	-	226	-
Pennsylvania	-	-	2	7,345	119	71	337	27
EAST NORTH CENTRAL	5	7	6	131,527	474	1,285	2,215	35
Ohio	1	2	3	18,170	103	144	127	1
Indiana	3	-	2	10,225	47	108	290	-
Illinois	1	3	-	22,448	115	634	442	7
Michigan	-	2	-	36,161	169	329	1,129	3
Wisconsin	-	-	1	44,523	40	70	227	24
WEST NORTH CENTRAL	1	5	5	9,862	127	257	457	5
Minnesota	-	-	-	4,203	41	136	22	4
Iowa	-	-	1	1,790	9	53	115	-
Missouri	1	4	-	799	25	16	71	-
North Dakota	-	-	-	2,774	5	15	56	-
South Dakota	-	-	-	79	9	-	66	-
Nebraska	-	-	2	217	24	1	66	-
Kansas	-	1	2	NN	14	36	61	1
SOUTH ATLANTIC	2	10	17	24,007	343	263	1,387	-
Delaware	-	-	-	656	-	28	24	-
Maryland	-	1	2	3,202	42	88	120	-
District of Columbia	-	2	2	1,197	15	-	52	-
Virginia	-	1	3	7,595	65	-	344	-
West Virginia	-	1	-	3,812	26	-	164	-
North Carolina	1	1	7	1,417	83	-	111	-
South Carolina	-	1	-	1,799	17	12	128	-
Georgia	-	-	-	236	38	68	21	-
Florida	1	3	3	4,093	57	67	423	-
EAST SOUTH CENTRAL	-	3	8	34,719	247	318	1,595	10
Kentucky	-	-	3	11,367	64	86	336	2
Tennessee	-	3	-	19,202	66	61	1,111	8
Alabama	-	-	2	2,069	80	-	104	-
Mississippi	-	-	3	2,081	37	171	44	-
WEST SOUTH CENTRAL	8	17	6	53,582	191	75	2,705	1
Arkansas	-	6	-	1,410	19	62	54	1
Louisiana	1	6	-	266	66	NN	14	-
Oklahoma	-	1	1	1,232	26	13	103	-
Texas	7	4	5	50,674	80	-	2,534	-
MOUNTAIN	-	3	5	25,604	64	141	1,586	3
Montana	-	2	-	2,438	11	2	301	-
Idaho	-	-	-	3,227	4	12	107	-
Wyoming	-	-	4	716	2	7	27	-
Colorado	-	-	-	6,794	18	79	448	1
New Mexico	-	-	-	1,901	6	19	50	-
Arizona	-	1	1	4,863	13	-	398	1
Utah	-	-	-	4,908	9	15	249	1
Nevada	-	-	-	757	1	7	6	-
PACIFIC	30	5	12	53,700	276	215	2,746	17
Washington	-	-	1	13,678	28	115	251	2
Oregon	-	-	1	11,104	35	89	534	3
California	11	2	10	22,684	209	-	1,957	12
Alaska	-	-	-	1,260	-	11	4	-
Hawaii	19	3	-	4,974	4	NN	-	-
Puerto Rico	2	9	-	1,411	11	15	265	-

*Acquired outside or inside United States

**May include aseptic meningitis

NN - Not Notifiable

Table 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES BY STATE, 1960 - Continued

AREA	POLIOMYELITIS				RABIES IN MAN	RHEUMATIC FEVER, acute *	SALMONELLOSIS (exclud. S. typhosa)	SCARLET FEVER AND STREPT. SORE THROAT
	Total	Paralytic	Nonparalytic	Unspecified				
UNITED STATES	3,190	2,525	626	39	2	9,022	6,929	315,173
NEW ENGLAND	242	195	47	-	-	47	666	15,086
Maine	50	49	1	-	-	18	177	846
New Hampshire	3	1	2	-	-	-	10	570
Vermont	12	10	2	-	-	-	11	487
Massachusetts	38	29	9	-	-	-	335	5,950
Rhode Island	103	79	24	-	-	29	9	1,120
Connecticut	36	27	9	-	-	-	124	6,113
MIDDLE ATLANTIC	498	409	88	1	-	-	983	19,151
New York	271	213	57	1	-	NR	589	11,316
New Jersey	76	64	12	-	-	NR	78	3,305
Pennsylvania	151	132	19	-	-	-	316	4,530
EAST NORTH CENTRAL	517	395	122	-	1	5,617	718	35,063
Ohio	112	89	23	-	1	2,152	145	7,569
Indiana	145	117	28	-	-	98	44	7,483
Illinois	145	112	33	-	-	1,598	164	4,402
Michigan	88	56	32	-	-	1,690	239	9,287
Wisconsin	27	21	6	-	-	79	126	6,322
WEST NORTH CENTRAL	176	109	65	2	-	260	335	9,301
Minnesota	46	37	9	-	-	150	156	833
Iowa	25	6	19	-	-	13	34	2,519
Missouri	43	38	5	-	-	79	37	880
North Dakota	19	6	12	1	-	16	32	3,521
South Dakota	7	2	4	1	-	-	8	154
Nebraska	17	11	6	-	-	-	3	15
Kansas	19	9	10	-	-	2	65	1,379
SOUTH ATLANTIC	604	488	95	21	1	204	1,144	22,392
Delaware	-	-	-	-	-	7	13	340
Maryland	165	147	18	-	-	NR	55	1,017
District of Columbia	5	5	-	-	-	1	38	107
Virginia	58	55	3	-	-	NR	159	6,066
West Virginia	64	51	2	11	-	29	9	6,530
North Carolina	85	64	21	-	-	-	121	1,098
South Carolina	131	92	35	4	-	151	7	1,708
Georgia	30	27	3	-	1	16	298	174
Florida	66	47	13	6	-	NR	444	5,352
EAST SOUTH CENTRAL	282	249	33	-	-	711	254	55,059
Kentucky	146	127	19	-	-	197	16	7,618
Tennessee	55	41	14	-	-	228	97	45,124
Alabama	24	24	-	-	-	271	88	940
Mississippi	57	57	-	-	-	15	53	1,377
WEST SOUTH CENTRAL	287	191	94	2	-	150	860	43,538
Arkansas	36	27	9	-	-	9	64	332
Louisiana	49	32	17	NN	-	57	192	217
Oklahoma	18	14	2	2	-	9	24	541
Texas	184	118	66	-	-	75	580	42,448
MOUNTAIN	98	77	8	13	-	1,292	325	66,052
Montana	21	15	-	6	-	190	12	2,881
Idaho	12	10	2	-	-	23	-	3,555
Wyoming	22	18	4	-	-	394	1	1,971
Colorado	21	21	-	-	-	275	180	24,319
New Mexico	7	4	-	3	-	187	10	12,497
Arizona	10	4	2	4	-	112	21	9,606
Utah	5	5	-	-	-	111	96	10,926
Nevada	-	-	-	-	-	-	5	297
PACIFIC	486	412	74	-	-	741	1,644	49,531
Washington	49	46	3	-	-	483	99	13,385
Oregon	33	17	16	-	-	72	35	2,652
California	394	340	54	-	-	145	1,309	32,188
Alaska	2	1	1	-	-	23	18	1,111
Hawaii	8	8	-	-	-	18	183	195
Puerto Rico	505	498	7	-	-	-	-	81

*No Reports of Rheumatic Fever submitted to the CDC by States so indicated

Table 5. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES BY STATE, 1960 - Continued

AREA	SHIGELLOSIS (bacillary dysentery)	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER		RABIES IN ANIMALS
						Flea-borne (murine)	Tick-borne (Rocky Mountain spotted fever)	
UNITED STATES	12,487	368	160	390	816	68	204	3,567
NEW ENGLAND	330	7	24	1	13	-	1	-
Maine	76	-	7	-	3	-	-	-
New Hampshire	13	-	-	-	-	-	-	-
Vermont	2	-	-	-	-	-	-	-
Massachusetts	165	2	2	1	5	-	1	-
Rhode Island	23	1	4	-	-	-	-	-
Connecticut	51	4	11	-	5	-	-	-
MIDDLE ATLANTIC	1,977	21	66	2	61	1	22	473
New York	1,771	12	42	1	33	-	6	455
New Jersey	53	2	10	-	6	-	7	-
Pennsylvania	153	7	14	1	22	1	9	18
EAST NORTH CENTRAL	1,189	60	26	58	102	2	23	382
Ohio	224	14	9	1	36	-	8	107
Indiana	51	12	3	19	26	-	5	96
Illinois	182	20	8	37	19	1	10	84
Michigan	562	4	3	-	14	-	-	70
Wisconsin	170	10	3	1	7	1	-	25
WEST NORTH CENTRAL	604	13	4	52	56	-	11	696
Minnesota	270	4	-	1	1	-	-	120
Iowa	42	1	2	-	13	-	3	189
Missouri	81	6	2	30	26	-	2	210
North Dakota	40	-	-	-	4	-	1	35
South Dakota	21	-	-	-	5	-	2	82
Nebraska	-	-	-	-	5	-	-	54
Kansas	150	2	-	21	2	-	3	6
SOUTH ATLANTIC	1,239	71	16	63	136	8	89	464
Delaware	2	1	1	1	1	-	2	-
Maryland	58	5	2	3	6	-	8	3
District of Columbia	119	-	1	-	10	-	1	-
Virginia	175	11	2	39	24	1	40	226
West Virginia	4	-	5	-	14	-	3	134
North Carolina	153	8	-	4	19	1	18	20
South Carolina	-	4	-	-	19	1	1	15
Georgia	616	14	5	15	27	4	15	37
Florida	112	28	-	1	16	1	1	29
EAST SOUTH CENTRAL	747	62	7	56	122	4	22	397
Kentucky	35	6	1	14	33	-	10	120
Tennessee	558	23	6	24	56	-	9	180
Alabama	100	18	-	7	25	4	3	91
Mississippi	54	15	-	11	8	-	-	6
WEST SOUTH CENTRAL	3,646	86	1	108	201	50	13	930
Arkansas	116	11	-	73	52	-	5	320
Louisiana	44	15	-	13	58	-	-	46
Oklahoma	31	7	-	13	12	-	7	3
Texas	3,455	53	1	9	79	50	1	561
MOUNTAIN	458	7	11	38	45	-	18	56
Montana	3	-	-	2	10	-	3	-
Idaho	16	-	-	-	3	-	2	-
Wyoming	-	-	-	14	4	-	2	-
Colorado	238	1	-	1	1	-	6	22
New Mexico	69	1	5	2	15	-	-	22
Arizona	74	5	3	-	10	-	1	12
Utah	42	-	3	16	2	-	3	-
Nevada	16	-	-	3	-	-	1	-
PACIFIC	2,297	41	5	12	80	3	5	169
Washington	98	2	-	2	7	-	1	1
Oregon	14	3	-	7	8	-	2	8
California	2,090	32	3	3	62	2	2	123
Alaska	8	-	-	-	3	-	-	37
Hawaii	87	4	2	-	-	1	-	-
Puerto Rico	3	80	-	-	28	-	-	35

Table 6. NEWLY REPORTED ACTIVE TUBERCULOSIS CASES BY STATE, BY AGE, 1960

AREA	Total	Under 5	5-14	15-24	25-44	45-64	65–	Age Not Stated
UNITED STATES	55,494	2,169	2,162	4,890	16,992	18,235	10,349	697
NEW ENGLAND	2,258	33	40	203	662	757	538	25
Maine	167	1	6	17	64	43	33	3
New Hampshire	72	2	2	7	20	21	18	2
Vermont	83	-	2	6	24	23	24	4
Massachusetts	1,363	25	24	119	371	469	354	1
Rhode Island	196	3	4	18	47	70	45	9
Connecticut	377	2	2	36	136	131	64	6
MIDDLE ATLANTIC	12,165	465	380	1,001	3,852	4,139	2,175	153
New York	6,807	256	235	621	2,234	2,223	1,118	120
New Jersey	1,651	70	54	170	520	557	277	3
Pennsylvania	3,707	139	91	210	1,098	1,359	780	30
EAST NORTH CENTRAL	11,390	550	573	963	3,548	3,541	2,024	191
Ohio	2,714	217	203	205	821	770	476	22
Indiana	1,195	19	29	110	386	392	219	40
Illinois	4,063	61	51	322	1,429	1,424	695	81
Michigan	2,597	215	210	258	729	709	448	28
Wisconsin	821	38	80	68	183	246	186	20
WEST NORTH CENTRAL	2,647	44	78	208	676	938	680	23
Minnesota	518	13	16	33	131	203	122	-
Iowa	354	2	1	17	87	138	109	-
Missouri	1,144	6	18	99	279	403	324	15
North Dakota	109	10	12	14	22	28	23	-
South Dakota	122	2	19	18	37	28	16	2
Nebraska	198	7	11	8	75	65	29	3
Kansas	202	4	1	19	45	73	57	3
SOUTH ATLANTIC	8,711	404	351	745	2,841	2,789	1,452	129
Delaware	142	3	4	12	49	51	23	-
Maryland	1,407	112	77	109	488	420	184	17
District of Columbia	511	4	10	36	220	177	63	1
Virginia	1,668	142	116	113	440	467	318	72
West Virginia	600	27	27	47	154	220	117	8
North Carolina	1,088	21	28	106	356	377	200	-
South Carolina	726	15	14	82	274	223	110	8
Georgia	1,151	23	31	118	386	384	200	9
Florida	1,418	57	44	122	474	470	237	14
EAST SOUTH CENTRAL	4,610	164	119	492	1,335	1,491	993	16
Kentucky	1,138	37	21	117	382	346	235	-
Tennessee	1,454	29	24	156	403	484	358	-
Alabama	1,302	87	49	143	338	403	271	11
Mississippi	716	11	25	76	212	258	129	5
WEST SOUTH CENTRAL	5,026	229	281	490	1,511	1,584	836	95
Arkansas	811	48	99	62	175	230	187	10
Louisiana	1,033	63	33	71	346	359	138	23
Oklahoma	542	12	13	49	147	180	140	1
Texas	2,640	106	136	308	843	815	371	61
MOUNTAIN	1,885	135	167	166	470	569	320	58
Montana	154	6	9	13	34	55	26	11
Idaho	58	5	1	6	9	27	9	1
Wyoming	53	1	6	5	6	20	10	5
Colorado	308	4	2	25	93	105	62	17
New Mexico	460	72	90	35	89	105	60	9
Arizona	713	46	56	77	201	206	125	2
Utah	71	1	2	4	14	23	16	11
Nevada	68	-	1	1	24	28	12	2
PACIFIC	6,802	145	173	622	2,097	2,427	1,331	7
Washington	713	18	18	53	209	282	132	1
Oregon	443	24	24	35	114	166	77	3
California	5,129	99	106	450	1,593	1,836	1,043	2
Alaska	224	2	17	55	81	49	20	-
Hawaii	293	2	8	29	100	94	59	1

Data submitted by the States to the Tuberculosis Program, PHS

Table 7. REPORTED CASES OF VENEREAL DISEASES IN THE UNITED STATES, 1960

(Newly Reported Civilian Cases)

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*
	TOTAL	PRIMARY SECONDARY			
UNITED STATES	122,003	16,144	258,933	1,680	1,131
NEW ENGLAND	3,398	377	4,066	11	6
Maine	28	7	119	-	-
New Hampshire	99	5	80	-	-
Vermont	29	3	98	-	-
Massachusetts	2,443	259	2,059	3	1
Rhode Island	240	4	153	1	-
Connecticut	559	99	1,557	7	5
MIDDLE ATLANTIC	36,783	4,194	33,312	120	95
New York	19,168	3,015	21,366	84	70
New Jersey	5,263	666	4,778	21	12
Pennsylvania	12,352	513	7,168	15	13
EAST NORTH CENTRAL	18,543	1,661	44,571	203	72
Ohio	4,078	206	9,968	40	20
Indiana	1,165	91	2,341	3	2
Illinois	8,760	1,066	22,754	44	43
Michigan	3,645	204	8,372	112	7
Wisconsin	895	94	1,136	4	-
WEST NORTH CENTRAL	5,881	334	15,787	72	11
Minnesota	217	71	1,398	5	-
Iowa	1,102	21	1,398	4	3
Missouri	2,552	116	8,052	54	6
North Dakota	59	15	611	1	-
South Dakota	176	19	750	3	1
Nebraska	437	17	1,111	-	-
Kansas	1,338	75	2,467	5	1
SOUTH ATLANTIC	24,380	3,692	66,900	742	687
Delaware	876	22	809	5	4
Maryland	2,730	438	6,624	18	14
District of Columbia	2,555	511	10,221	32	370
Virginia	3,610	366	6,445	30	25
West Virginia	1,682	20	1,219	3	1
North Carolina	2,861	424	8,442	91	12
South Carolina	2,299	352	11,475	132	21
Georgia	3,652	920	10,541	188	125
Florida	4,115	639	11,124	243	115
EAST SOUTH CENTRAL	6,790	1,111	23,509	108	86
Kentucky	2,213	100	3,195	1	2
Tennessee	2,218	449	9,882	39	23
Alabama	1,754	417	3,613	24	29
Mississippi	605	145	6,819	44	32
WEST SOUTH CENTRAL	14,577	2,645	42,099	226	113
Arkansas	1,612	220	8,704	17	7
Louisiana	6,636	1,182	5,916	70	81
Oklahoma	1,552	74	4,946	10	1
Texas	4,777	1,169	22,533	129	24
MOUNTAIN	2,657	366	6,831	97	31
Montana	226	15	371	-	-
Idaho	39	7	311	2	1
Wyoming	37	5	70	1	-
Colorado	141	29	1,332	3	-
New Mexico	1,031	44	1,576	9	3
Arizona	901	241	2,491	73	27
Utah	134	7	344	-	-
Nevada	148	18	336	9	-
PACIFIC	8,994	1,764	21,858	101	30
Washington	422	161	1,732	2	-
Oregon	626	68	1,266	7	2
California	7,868	1,524	18,313	92	28
Alaska	40	5	427	-	-
Hawaii	38	6	120	-	-

*Granuloma inguinale and Lymphogranuloma venereum

AGE DISTRIBUTION

Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-9	20	1,619
10-14	139	3,261
15-19	2,577	53,649
20-24	4,691	87,823
25-29	3,385	51,213
30-34	2,406	29,743
35-39	1,345	16,349
40-44	715	7,798
45-49	393	3,868
50+	473	3,610
Total	16,144	258,933

DISTRIBUTION by SEX by RACE

	Syphilis Cases, Total	
	White	Nonwhite
Male	31,170	36,721
Female	20,760	33,352
Total	51,930	70,073

	Syphilis, Primary & Secondary	
Male	4,872	6,264
Female	952	4,056
Total	5,824	10,320

	Gonorrhea	
Male	46,056	136,505
Female	17,644	58,728
Total	63,700	195,233

Figures are from the Venereal Disease Program, Public Health Service

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960

(A) DIPHTHERIA

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	20	215	293	160	98		75		33	24	918
NEW ENGLAND	-	2	1	2	2	-	2	-	4	-	13
Maine	-	-	-	-	2	-	-	-	1	-	3
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	2	1	2	-	-	2	-	2	-	9
Rhode Island	-	-	-	-	-	-	-	-	1	-	1
Connecticut	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	-	5	3	1	3	2	1	-	-	-	15
New York	-	3	1	1	-	-	1	-	-	-	6
New Jersey	-	-	-	-	1	-	-	-	-	-	1
Pennsylvania	-	2	2	-	2	2	-	-	-	-	8
EAST NORTH CENTRAL	1	3	10	7	4	1	4	3	4	1	38
Ohio	-	1	4	1	2	-	2	1	-	-	11
Indiana	-	-	1	2	-	1	1	1	1	1	8
Illinois	-	2	2	2	2	-	-	-	1	-	9
Michigan	1	-	3	2	-	-	1	1	1	-	9
Wisconsin	-	-	-	-	-	-	-	-	1	-	1
WEST NORTH CENTRAL	2	9	20	5	11	-	5	5	8	1	66
Minnesota	-	8	12	5	7	-	1	3	3	-	39
Iowa	2	-	3	-	-	-	3	-	1	-	9
Missouri	-	-	-	-	2	-	-	-	-	-	2
North Dakota	-	-	-	-	1	-	-	1	1	-	3
South Dakota	-	1	5	-	-	-	1	-	2	1	10
Nebraska	-	-	-	-	-	-	-	1	1	-	2
Kansas	-	-	-	-	1	-	-	-	-	-	1
SOUTH ATLANTIC	4	66	82	42	24		8	3	4	9	242
Delaware	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	1	-	-	-	1
District of Columbia	-	-	-	-	-	-	-	-	-	-	-
Virginia	2	11	14	9	2	1	-	-	-	-	39
West Virginia	-	1	-	-	3	-	-	-	-	-	4
North Carolina	-	7	9	5	1	-	-	-	-	-	22
South Carolina	-	13	13	9	3	2	4	1	2	3	50
Georgia	1	16	20	8	6	-	-	-	2	-	53
Florida	1	18	26	11	6		3	2	-	6	73
EAST SOUTH CENTRAL	2	34	43	33	12	4	7	-	1	6	142
Kentucky	-	5	16	22	7	3	3	-	-	-	56
Tennessee	1	3	2	1	1	-	-	-	1	-	9
Alabama	-	13	14	3	2	1	3	-	-	4	40
Mississippi	1	13	11	7	2	-	1	-	-	2	37
WEST SOUTH CENTRAL	10	91	120	65	26	4	30		10	4	360
Arkansas	1	5	6	1	1	-	2	-	-	-	16
Louisiana	1	23	31	16	6	-	2	1	-	-	80
Oklahoma	1	3	6	4	1	-	1	5	4	-	25
Texas	7	60	77	44	18	4	19		6	4	239
MOUNTAIN	1	5	13	4	4	1	7	-	2	3	40
Montana	-	-	1	-	-	-	1	-	1	-	3
Idaho	-	3	7	2	-	1	3	-	-	-	16
Wyoming	-	-	1	-	-	-	2	-	-	-	3
Colorado	-	-	1	-	1	-	-	-	-	1	3
New Mexico	1	1	1	-	1	-	-	-	-	-	4
Arizona	-	-	1	1	-	-	-	-	-	1	3
Utah	-	1	1	1	2	-	1	-	1	-	7
Nevada	-	-	-	-	-	-	-	-	-	1	1
PACIFIC	-	-	1	1	-	-	-	-	-	-	2
Washington	-	-	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-
California	-	-	1	-	-	-	-	-	-	-	1
Alaska	-	-	-	1	-	-	-	-	-	-	1
Hawaii	-	-	-	-	-	-	-	-	-	-	-

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(B) ENCEPHALITIS, TOTAL, ACUTE INFECTIOUS
(includes post-infectious and reported arthropod-borne encephalitis)

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,341
NEW ENGLAND	2	16	20	7	4	1	4	2	8	11	75
Maine	-	3	1	1	-	-	-	-	3	-	8
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	1	4	12	5	2	1	3	-	1	-	29
Rhode Island	1	9	6	1	2	-	1	1	3	-	24
Connecticut	-	-	1	-	-	-	-	1	1	11	14
MIDDLE ATLANTIC	24	80	142	34	26	16	.....48.....		36	-	406
New York	11	29	33	14	15	7	.....24.....		27	-	160
New Jersey	2	24	50	7	1	2	8	3	2	-	99
Pennsylvania	11	27	59	13	10	7	8	5	7	-	147
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	371
Ohio	4	13	22	9	2	2	1	-	3	-	56
Indiana	3	22	35	5	4	4	6	-	3	8	90
Illinois	5	35	60	17	5	7	14	8	12	4	167
Michigan	age distribution not available										55
Wisconsin	-	-	-	-	1	-	2	-	-	-	3
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	105
Minnesota	1	2	-	-	-	2	2	1	-	-	8
Iowa	age distribution not available										15
Missouri	-	-	3	1	1	1	1	2	3	1	13
North Dakota	1	1	6	2	2	4	6	4	1	-	27
South Dakota	-	1	-	-	1	-	1	1	1	-	5
Nebraska	2	-	-	-	-	-	2	1	2	-	7
Kansas	3	3	3	2	3	2	5	3	6	-	30
SOUTH ATLANTIC	23	35	52	31	.....23.....		22	12	28	1	227
Delaware	-	-	-	-	-	-	-	-	-	-	-
Maryland	12	8	20	8	2	2	6	1	8	-	67
District of Columbia	1	4	3	2	-	-	1	-	1	-	12
Virginia	3	4	2	1	2	6	2	3	5	-	28
West Virginia	-	2	2	1	1	-	1	1	-	1	9
North Carolina	3	2	10	9	3	1	3	1	4	-	36
South Carolina	1	-	-	2	1	-	-	1	-	-	5
Georgia	1	5	1	3	-	1	1	1	2	-	15
Florida	2	10	14	5	.....4.....		8	4	8	-	55
EAST SOUTH CENTRAL	.....33.....		41	27	11	13	17	12	13	12	179
Kentucky	2	5	13	7	2	4	12	2	-	1	48
Tennessee	3	4	8	9	1	2	2	2	5	-	36
Alabama	.....5.....		2	2	2	-	2	2	2	2	19
Mississippi	3	11	18	9	6	7	1	6	6	9	76
WEST SOUTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	154
Arkansas	1	2	4	3	-	2	2	1	2	-	17
Louisiana	Encephalitis not specified as arthropod-borne not reportable										-
Oklahoma	2	1	4	-	2	2	2	2	6	-	21
Texas	8	15	24	10	6	6	.....28.....		10	9	116
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	123
Montana	1	-	1	-	-	-	-	1	-	1	4
Idaho	1	-	4	-	-	1	1	-	1	-	8
Wyoming	3	-	-	1	-	-	2	2	-	2	10
Colorado	age distribution not available										50
New Mexico	-	1	2	2	-	-	1	1	-	-	7
Arizona	age distribution not available										20
Utah	1	4	9	-	-	-	3	1	-	5	23
Nevada	-	-	-	-	-	-	-	-	-	1	1
PACIFIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	701
Washington	-	3	4	-	-	1	1	-	-	-	9
Oregon	age distribution not available										43
California	25	116	252	78	36	17	54	33	32	-	643
Alaska	-	1	-	1	-	-	-	-	-	4	6
Hawaii	-	-	-	-	-	-	-	-	-	-	-

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(C) HEPATITIS
(infectious and serum)

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	41,666
NEW ENGLAND	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1,215
Maine	1	5	10	9	8	5	10	13	17	11	89
New Hampshire	age distribution not available										70
Vermont	-	-	5	5	2	2	2	7	4	2	29
Massachusetts	-	11	101	86	64	54	106	49	50	27	548
Rhode Island	2	9	42	43	31	20	40	13	19	2	221
Connecticut	-	4	40	37	31	32	42	35	21	16	258
MIDDLE ATLANTIC	8	136	1,014	941	564	448	892	558	550	205	5,316
New York	2	64	423	432	331	235	450	289	294	199	2,719
New Jersey	1	8	53	53	43	52	85	69	71	6	441
Pennsylvania	5	64	538	456	190	161	357	200	185	-	2,156
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	7,368
Ohio	7	111	708	537	221	125	262	146	246	14	2,377
Indiana	2	33	275	218	96	56	105	43	42	67	937
Illinois	6	61	457	359	144	126	197	94	112	151	1,707
Michigan	age distribution not available										2,113
Wisconsin	age distribution not available										234
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,902
Minnesota	1	11	99	116	61	38	66	42	64	78	576
Iowa	age distribution not available										460
Missouri	-	44	290	212	99	49	96	41	55	68	954
North Dakota	-	10	38	32	21	7	20	11	11	10	160
South Dakota	-	15	22	17	7	5	8	6	4	80	164
Nebraska	-	10	22	4	3	10	9	3	5	214	280
Kansas	2	16	75	50	31	27	59	28	20	-	308
SOUTH ATLANTIC	11	224	1,231	1,024	835		457	277	290	486	4,835
Delaware	-	4	55	54	36	28	41	40	19	-	277
Maryland	1	26	146	129	54	32	64	27	53	-	532
District of Columbia	1	6	22	11	6	9	3	6	4	-	68
Virginia	3	42	148	123	64	58	79	54	53	221	845
West Virginia	1	53	333	279	71	17	38	23	25	66	906
North Carolina	3	20	154	152	78	57	48	29	36	5	582
South Carolina	-	9	45	30	10	10	12	3	1	73	193
Georgia	2	18	85	73	36	14	21	10	13	52	324
Florida	-	46	243	173	255		151	85	86	69	1,108
EAST SOUTH CENTRAL	343		1,807	1,364	575	285	462	196	270	669	5,971
Kentucky	3	92	565	447	164	63	109	34	45	515	2,037
Tennessee	3	138	791	512	197	113	161	78	106	1	2,100
Alabama	69		321	282	152	65	135	56	85	118	1,283
Mississippi	-	38	130	123	62	44	57	28	34	35	551
WEST SOUTH CENTRAL	14	189	803	551	257	229	491		201	365	3,100
Arkansas	3	20	77	59	29	23	31	4	17	-	263
Louisiana	1	8	36	46	21	18	28	15	19	8	200
Oklahoma	2	15	122	61	33	20	31	12	54	-	350
Texas	8	146	568	385	174	168	370		111	357	2,287
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3,215
Montana	1	16	30	25	17	19	27	12	11	44	202
Idaho	1	8	81	52	33	15	40	37	24	45	336
Wyoming	-	2	3	1	6	3	5	4	10	6	40
Colorado	age distribution not available										1,177
New Mexico	-	14	98	70	46	26	41	26	21	22	364
Arizona	age distribution not available										659
Utah	1	21	76	62	32	42	43	18	15	20	330
Nevada	age distribution not available										107
PACIFIC	18	332	1,273	1,118	1,499		1,289	698	599	918	7,744
Washington	1	30	138	143	84	104	176	103	106	212	1,097
Oregon	2	37	200	229	113	84	172	117	117	58	1,129
California	14	249	895	714	478	582	891	439	356	421	5,039
Alaska	1	15	29	25	22		32	26	12	226	388
Hawaii	-	1	11	7	16	16	18	13	8	1	91

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45 and Over	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,259
NEW ENGLAND	31	49	14	9	11	5	3	6	7	8	143
Maine	3	9	1	-	-	-	-	3	-	-	16
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	1	2	-	-	2	-	-	-	-	-	5
Massachusetts	16	21	7	6	3	4	2	2	5	3	69
Rhode Island	3	5	2	1	1	1	-	-	2	-	15
Connecticut	8	12	4	2	5	-	1	1	-	5	38
MIDDLE ATLANTIC	86	136	44	24	22	16	.....25.....		39	2	394
New York	44	70	20	9	10	7	.....12.....		22	1	195
New Jersey	19	18	8	3	8	5	5	3	10	1	80
Pennsylvania	23	48	16	12	4	4	2	3	7	-	119
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	474
Ohio	22	52	10	2	6	3	1	5	2	-	103
Indiana	9	20	7	4	-	-	-	2	2	3	47
Illinois	24	51	13	7	5	2	4	1	4	4	115
Michigan	.....age distribution not available.....										169
Wisconsin	.....age distribution not available.....										40
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	127
Minnesota	3	14	6	3	1	1	-	3	8	2	41
Iowa	.....age distribution not available.....										9
Missouri	4	11	4	1	-	2	-	-	2	1	25
North Dakota	-	1	1	1	-	-	-	1	1	-	5
South Dakota	-	4	2	-	-	-	-	-	1	2	9
Nebraska	3	1	2	-	3	1	1	-	1	12	24
Kansas	4	4	-	1	2	1	-	-	2	-	14
SOUTH ATLANTIC	65	123	49	24	.....29.....		9	12	29	3	343
Delaware	-	-	-	-	-	-	-	-	-	-	-
Maryland	18	9	6	-	1	2	3	1	2	-	42
District of Columbia	2	5	4	2	-	-	-	-	2	-	15
Virginia	10	32	5	4	-	-	3	3	7	1	65
West Virginia	2	10	8	2	2	-	-	-	2	-	26
North Carolina	11	32	16	9	3	2	2	5	3	-	83
South Carolina	2	3	3	-	4	2	-	-	3	-	17
Georgia	11	11	5	2	4	2	1	-	1	1	38
Florida	9	21	2	5	.....7.....		-	3	9	1	57
EAST SOUTH CENTRAL	.....132....		36	14	16	4	4	9	18	14	247
Kentucky	14	24	12	2	1	1	-	1	2	7	64
Tennessee	16	26	5	3	7	-	2	2	5	-	66
Alabama	.....35.....		13	7	5	-	2	5	7	6	80
Mississippi	7	10	6	2	3	3	-	1	4	1	37
WEST SOUTH CENTRAL	35	57	24	11	9	5	.....10.....		11	29	191
Arkansas	7	5	3	1	1	-	1	-	1	-	19
Louisiana	15	23	12	4	2	1	3	1	5	-	66
Oklahoma	2	10	2	3	3	1	2	1	2	-	26
Texas	11	19	7	3	3	3	.....2.....		3	29	80
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	64
Montana	5	1	1	1	-	1	-	-	1	1	11
Idaho	-	2	-	-	1	-	-	-	-	1	4
Wyoming	2	-	-	-	-	-	-	-	-	-	2
Colorado	.....age distribution not available.....										18
New Mexico	2	3	-	1	-	-	-	-	-	-	6
Arizona	.....age distribution not available.....										13
Utah	3	3	2	-	-	-	-	-	-	1	9
Nevada	-	-	-	-	-	-	-	-	-	1	1
PACIFIC	55	100	34	16	25	11	10	7	15	3	276
Washington	9	7	5	-	-	1	-	1	4	1	28
Oregon	9	11	4	2	4	1	2	-	2	-	35
California	37	82	24	14	21	8	8	5	8	2	209
Alaska	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	1	-	-	1	-	1	1	-	4

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(E) POLIOMYELITIS, TOTAL AND PARALYTIC

AREA		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	Total	142	1,104	796	311	..... 407.....		.....387.....		41	2	3,190
	Paralytic	132	941	603	224	..... 283.....		.....304.....		38	-	2,525
NEW ENGLAND	Total	8	86	78	19	11	12	20	7	1	-	242
	Paralytic	8	76	60	13	6	9	17	5	1	-	195
Maine	Total	-	21	12	2	3	2	8	2	-	-	50
	Paralytic	-	20	12	2	3	2	8	2	-	-	49
New Hampshire	Total	-	1	-	-	1	-	1	-	-	-	3
	Paralytic	-	1	-	-	-	-	-	-	-	-	1
Vermont	Total	-	3	4	1	-	-	3	1	-	-	12
	Paralytic	-	2	3	1	-	-	3	1	-	-	10
Massachusetts	Total	1	7	15	6	2	2	3	1	1	-	38
	Paralytic	1	6	12	4	1	1	2	1	1	-	29
Rhode Island	Total	5	44	38	8	3	3	1	1	-	-	103
	Paralytic	5	38	26	5	1	3	1	-	-	-	79
Connecticut	Total	2	10	9	2	2	5	4	2	-	-	36
	Paralytic	2	9	7	1	1	3	3	1	-	-	27
MIDDLE ATLANTIC	Total	11	149	161	46	30	38	42	15	6	-	498
	Paralytic	11	120	131	33	25	34	36	13	6	-	409
New York	Total	7	89	78	22	14	22	24	11	4	-	271
	Paralytic	7	69	58	14	11	20	20	10	4	-	213
New Jersey	Total	1	24	24	8	6	7	4	1	1	-	76
	Paralytic	1	18	21	7	5	6	4	1	1	-	64
Pennsylvania	Total	3	36	59	16	10	9	14	3	1	-	151
	Paralytic	3	33	52	12	9	8	12	2	1	-	132
EAST N. CENTRAL	Total	19	187	133	48	32	32	50	12	4	-	517
	Paralytic	17	163	102	31	18	16	36	9	3	-	395
Ohio	Total	3	42	30	11	6	5	13	2	-	-	112
	Paralytic	3	35	23	8	5	2	11	2	-	-	89
Indiana	Total	6	66	34	9	5	8	15	1	1	-	145
	Paralytic	5	58	27	8	3	4	10	1	1	-	117
Illinois	Total	8	46	40	12	10	9	12	6	2	-	145
	Paralytic	8	40	33	7	7	3	9	4	1	-	112
Michigan	Total	2	29	22	10	6	9	8	1	1	-	88
	Paralytic	1	26	13	3	1	6	4	1	1	-	56
Wisconsin	Total	-	4	7	6	5	1	2	2	-	-	27
	Paralytic	-	4	6	5	2	1	2	1	-	-	21
WEST N. CENTRAL	Total	5	48	27	17	22	21	26	8	2	-	176
	Paralytic	4	35	18	11	9	12	15	3	2	-	109
Minnesota	Total	1	20	8	1	4	1	7	2	2	-	46
	Paralytic	1	14	8	1	2	1	6	2	2	-	37
Iowa	Total	-	1	5	2	4	5	5	3	-	-	25
	Paralytic	-	1	1	2	-	1	1	-	-	-	6
Missouri	Total	2	13	4	8	5	7	4	-	-	-	43
	Paralytic	2	12	4	6	4	7	3	-	-	-	38
North Dakota	Total	1	7	2	1	3	2	3	-	-	-	19
	Paralytic	-	3	1	-	-	1	1	-	-	-	6
South Dakota	Total	-	3	-	1	-	2	-	1	-	-	7
	Paralytic	-	1	-	-	-	1	-	-	-	-	2
Nebraska	Total	1	2	3	1	3	1	4	2	-	-	17
	Paralytic	1	2	1	1	2	-	3	1	-	-	11
Kansas	Total	-	2	5	3	3	3	3	-	-	-	19
	Paralytic	-	2	3	1	1	1	1	-	-	-	9

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued
(E) POLIOMYELITIS, TOTAL AND PARALYTIC - Continued

AREA		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
SOUTH ATLANTIC	Total	34	236	153	67	.....59.....		30	18	7	-	604
	Paralytic	30	197	108	52	.....51.....		27	16	7	-	488
Delaware	Total	-	-	-	-	-	-	-	-	-	-	-
	Paralytic	-	-	-	-	-	-	-	-	-	-	-
Maryland	Total	12	53	41	18	11	8	11	8	3	-	165
	Paralytic	9	51	34	16	11	7	9	7	3	-	147
District of Columbia	Total	-	3	1	-	1	-	-	-	-	-	5
	Paralytic	-	3	1	-	1	-	-	-	-	-	5
Virginia	Total	2	22	17	8	3	-	4	1	1	-	58
	Paralytic	2	21	15	8	3	-	4	1	1	-	55
West Virginia	Total	2	19	22	11	5	1	3	1	-	-	64
	Paralytic	2	15	17	9	4	-	3	1	-	-	51
North Carolina	Total	8	38	17	9	4	3	5	-	1	-	85
	Paralytic	8	32	11	4	2	2	4	-	1	-	64
South Carolina	Total	6	72	28	11	6	4	2	2	-	-	131
	Paralytic	5	49	18	8	6	3	2	1	-	-	92
Georgia	Total	3	9	7	5	1	3	-	2	-	-	30
	Paralytic	3	8	6	5	1	2	-	2	-	-	27
Florida	Total	1	20	20	5	.....9.....		5	4	2	-	66
	Paralytic	1	18	6	2	.....9.....		5	4	2	-	47
EAST S. CENTRAL	Total	17	116	62	28	20	15	13	6	5	-	282
	Paralytic	16	110	47	25	16	14	11	5	5	-	249
Kentucky	Total	10	49	33	16	14	8	8	4	4	-	146
	Paralytic	10	46	24	16	10	7	7	3	4	-	127
Tennessee	Total	3	20	15	5	4	4	4	-	-	-	55
	Paralytic	2	17	9	2	4	4	3	-	-	-	41
Alabama	Total	-	14	5	3	-	1	-	1	-	-	24
	Paralytic	-	14	5	3	-	1	-	1	-	-	24
Mississippi	Total	4	33	9	4	2	2	1	1	1	-	57
	Paralytic	4	33	9	4	2	2	1	1	1	-	57
WEST S. CENTRAL	Total	20	96	52	32	25	23	.....34.....		4	1	287
	Paralytic	19	78	36	18	9	9	.....20.....		2	-	191
Arkansas	Total	1	14	5	5	4	4	2	1	-	-	36
	Paralytic	1	14	4	3	3	-	1	1	-	-	27
Louisiana	Total	3	17	14	6	2	3	2	1	1	-	49
	Paralytic	2	14	8	5	-	1	2	-	-	-	32
Oklahoma	Total	-	5	4	1	3	3	2	-	-	-	18
	Paralytic	-	3	3	1	2	3	2	-	-	-	14
Texas	Total	16	60	29	20	16	13	.....26.....		3	1	184
	Paralytic	16	47	21	9	4	5	.....14.....		2	-	118
MOUNTAIN	Total	3	29	20	13	8	5	14	4	1	1	98
	Paralytic	2	21	16	12	5	5	12	3	1	-	77
Montana	Total	1	5	3	1	1	2	5	3	-	-	21
	Paralytic	-	1	3	1	-	2	5	3	-	-	15
Idaho	Total	1	3	2	4	1	1	-	-	-	-	12
	Paralytic	1	2	2	3	1	1	-	-	-	-	10
Wyoming	Total	1	-	7	5	3	1	5	-	-	-	22
	Paralytic	1	-	4	5	2	1	5	-	-	-	18
Colorado	Total	-	17	1	1	1	1	-	-	-	-	21
	Paralytic	-	17	1	1	1	1	-	-	-	-	21
New Mexico	Total	-	3	2	-	-	-	1	-	1	-	7
	Paralytic	-	1	1	-	-	-	1	-	1	-	4
Arizona	Total	-	1	1	2	1	-	3	1	-	1	10
	Paralytic	-	-	1	2	-	-	1	-	-	-	4
Utah	Total	-	-	4	-	1	-	-	-	-	-	5
	Paralytic	-	-	4	-	1	-	-	-	-	-	5
Nevada	Total	-	-	-	-	-	-	-	-	-	-	-
	Paralytic	-	-	-	-	-	-	-	-	-	-	-

Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(E) POLIOMYELITIS, TOTAL AND PARALYTIC - Continued

AREA		Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
PACIFIC	Total	25	157	110	41	21	33	68	20	11	-	486
	Paralytic	25	141	85	29	17	28	59	17	11	-	412
Washington	Total	1	12	11	7	4	4	5	4	1	-	49
	Paralytic	1	12	10	6	4	3	5	4	1	-	46
Oregon	Total	-	4	9	5	4	1	5	4	1	-	33
	Paralytic	-	2	3	4	1	1	3	2	1	-	17
California	Total	21	136	90	29	13	28	56	12	9	-	394
	Paralytic	21	123	72	19	12	24	49	11	9	-	340
Alaska	Total	-	1	-	-	-	-	1	-	-	-	2
	Paralytic	-	-	-	-	-	-	1	-	-	-	1
Hawaii	Total	3	4	-	-	-	-	1	-	-	-	8
	Paralytic	3	4	-	-	-	-	1	-	-	-	8

REPORTED CASES OF PARALYTIC POLIOMYELITIS, UNITED STATES BY WEEK

April Through December



Table 8. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES BY STATE BY AGE, 1960 - Continued

(F) TYPHOID FEVER

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45+	Age Unk	Total
UNITED STATES	. . .	. .	.	. . .	. . .	. . .	. . .	. . .	. . .	. . .	816
NEW ENGLAND	-	-	1	1	2	1	2	3	3	-	13
Maine	-	-	1	-	-	-	-	-	2	-	3
New Hampshire	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	1	1	-	-	2	1	-	5
Rhode Island	-	-	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	1	1	2	1	-	-	5
MIDDLE ATLANTIC	-	8	9	7	3	7	....10....		17	-	61
New York	-	3	5	4	2	2	.....6.....		11	-	33
New Jersey	-	1	2	1	1	-	-	-	1	-	6
Pennsylvania	-	4	2	2	-	5	1	3	5	-	22
EAST NORTH CENTRAL	2	13	25	15	8	5	11	8	12	3	102
Ohio	-	6	9	6	4	3	2	2	4	-	36
Indiana	1	3	4	2	2	1	3	4	3	3	26
Illinois	-	2	6	2	1	-	3	1	4	-	19
Michigan	1	2	5	4	-	-	2	-	-	-	14
Wisconsin	-	-	1	1	1	1	1	1	1	-	7
WEST NORTH CENTRAL	-	7	7	10	4	6	5	4	9	4	56
Minnesota	-	1	-	-	-	-	-	-	-	-	1
Iowa	-	2	2	2	2	-	2	1	2	-	13
Missouri	-	3	4	5	1	2	2	1	6	2	26
North Dakota	-	1	1	-	-	1	1	-	-	-	4
South Dakota	-	-	-	2	-	1	-	-	-	2	5
Nebraska	-	-	-	-	1	1	-	2	1	-	5
Kansas	-	-	-	1	-	1	-	-	-	-	2
SOUTH ATLANTIC	-	13	27	19	.....25.....		16	6	23	7	136
Delaware	-	-	-	-	-	-	-	-	1	-	1
Maryland	-	2	2	1	-	-	-	-	1	-	6
District of Columbia	-	2	1	-	2	2	2	-	1	-	10
Virginia	-	2	4	2	4	5	2	1	4	-	24
West Virginia	-	-	3	4	2	-	1	-	4	-	14
North Carolina	-	2	3	2	3	-	3	1	5	-	19
South Carolina	-	1	5	4	1	1	2	2	2	1	19
Georgia	-	3	7	5	1	1	3	-	4	3	27
Florida	-	1	2	1	.....3.....		3	2	1	3	16
EAST SOUTH CENTRAL	.....19.....		21	10	14	8	16	16	14	4	122
Kentucky	1	3	5	2	3	-	7	8	3	1	33
Tennessee	1	9	10	7	6	5	7	6	5	-	56
Alabama	.....4.....		4	-	5	2	2	1	4	3	25
Mississippi	-	1	2	1	-	1	-	1	2	-	8
WEST SOUTH CENTRAL	2	18	31	29	18	12	.....49.....		25	17	201
Arkansas	-	10	10	5	6	3	4	8	6	-	52
Louisiana	-	7	9	9	5	4	7	9	8	-	58
Oklahoma	-	-	3	4	1	1	-	-	3	-	12
Texas	2	1	9	11	6	4	.....21.....		8	17	79
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. .	. . .	. . .	45
Montana	-	1	1	4	1	-	-	-	1	2	10
Idaho	-	-	-	-	-	-	-	1	1	1	3
Wyoming	-	1	-	-	-	-	1	-	1	1	4
Colorado	-	-	-	1	-	-	-	-	-	-	1
New Mexico	-	1	4	3	-	1	2	-	4	-	15
Arizona	.....age distribution not available.....										10
Utah	-	1	-	-	-	-	1	-	-	-	2
Nevada	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	-	13	19	11	7	9	8	5	8	-	80
Washington	-	2	1	2	-	2	-	-	-	-	7
Oregon	-	1	-	1	2	-	1	2	1	-	8
California	-	10	16	7	5	7	7	3	7	-	62
Alaska	-	-	2	1	-	-	-	-	-	-	3
Hawaii	-	-	-	-	-	-	-	-	-	-	-

Table 9. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1960

	ANCYLOSTOMIASIS (Hookworm)	CHICKENPOX (Varicella)	CONJUNCTIVITIS (Pink Eye)	DIARRHEA OF NEWBORN	ERYSIPELAS	GASTRO-ENTERITIS (nonspecific)	HISTO-PLASMOSIS	IMPETIGO
UNITED STATES								
NEW ENGLAND								
Maine	-	3,708	-	-	-	141	-	-
New Hampshire	-	1,172	-	-	1	-	-	16
Vermont	-	1,777	-	-	-	-	-	-
Massachusetts	-	16,352	-	-	-	-	-	-
Rhode Island	-	2,122	-	-	-	-	-	-
Connecticut	194	10,169	61	1	9	-	-	-
MIDDLE ATLANTIC								
New York	-	25,140	-	135	-	1,003	-	15
New Jersey	-	-	-	7	-	-	-	-
Pennsylvania	187	-	-	-	-	-	-	-
EAST NORTH CENTRAL								
Ohio	-	12,597	-	49	10	-	10	-
Indiana	1	5,070	-	-	22	-	17	-
Illinois	-	13,354	-	19	21	209	8	6
Michigan	-	15,837	327	530	43	-	-	1,582
Wisconsin	-	31,751	-	2	1	59	3	-
WEST NORTH CENTRAL								
Minnesota	-	132	-	17	10	716	7	-
Iowa	-	5,285	-	-	-	-	9	-
Missouri	-	1,107	-	6	-	-	6	-
North Dakota	-	2,618	561	-	26	-	-	464
South Dakota	-	-	-	-	-	-	-	-
Nebraska	-	39	-	-	-	-	-	-
Kansas	4	-	-	-	-	-	5	-
SOUTH ATLANTIC								
Delaware	-	351	-	-	-	-	-	-
Maryland	-	1,638	-	-	-	-	1	-
District of Columbia	-	353	-	7	-	-	-	14
Virginia	-	-	-	-	-	-	-	-
West Virginia	-	2,255	290	11	1	-	-	-
North Carolina	-	-	-	-	-	247	-	-
South Carolina	-	-	-	-	-	-	-	-
Georgia	6,950	18	-	-	-	-	-	-
Florida	3,260	5,665	-	160	4	-	-	-
EAST SOUTH CENTRAL								
Kentucky	2	3,861	-	-	5	-	14	-
Tennessee	-	-	-	-	-	-	-	-
Alabama	-	1,092	-	-	-	-	12	-
Mississippi	1,510	800	-	31	-	-	22	-
WEST SOUTH CENTRAL								
Arkansas	15	688	-	-	-	-	12	-
Louisiana	-	-	-	-	-	-	3	-
Oklahoma	-	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-	-
MOUNTAIN								
Montana	-	2,940	-	-	-	-	-	-
Idaho	-	632	-	-	9	-	-	-
Wyoming	-	58	-	-	1	105	-	-
Colorado	-	-	-	-	-	-	-	-
New Mexico	1	505	-	-	-	-	-	-
Arizona	32	4,087	-	-	5	-	-	-
Utah	-	1,098	-	-	-	-	-	-
Nevada	-	636	37	-	1	33	-	11
PACIFIC								
Washington	-	9,662	-	1	-	-	2	-
Oregon	-	58	98	-	11	72	-	1
California	-	-	-	30	-	-	-	-
Alaska	-	932	-	-	2	1,390	-	-
Hawaii	5	1,510	12	-	3	-	-	-

Table 9. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1960 - Continued

AREA	MONONUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS		RINGWORM	RUBELLA (German Measles)	VINCENT'S INFECTION
			INFLUENZA	PNEUMONIA			
UNITED STATES							
NEW ENGLAND							
Maine	5	2,187	901	696	-	1,451	-
New Hampshire	5	628	303	-	6	163	24
Vermont	120	1,242	-	-	-	-	-
Massachusetts	-	14,183	-	-	-	5,562	-
Rhode Island	36	1,521	-	-	-	138	6
Connecticut	529	10,620	1,676	-	-	3,750	-
MIDDLE ATLANTIC							
New York	-	5,295	-	-	-	8,816	-
New Jersey	-	-	-	-	-	-	-
Pennsylvania	261	-	-	-	-	-	-
EAST NORTH CENTRAL							
Ohio	48	11,634	-	-	-	3,621	3
Indiana	205	3,336	-	2,395	-	1,937	-
Illinois	13	10,551	38	-	124	1,723	-
Michigan	211	10,770	2,600	-	1,947	2,028	-
Wisconsin	-	35,662	805	-	21	4,841	10
WEST NORTH CENTRAL							
Minnesota	785	116	2,725	-	35	-	6
Iowa	37	4,474	-	-	-	438	-
Missouri	36	1,790	9,735	11	353	-	6
North Dakota	-	3,008	-	-	108	-	-
South Dakota	-	-	-	-	-	-	-
Nebraska	-	53	-	-	-	-	-
Kansas	-	-	-	-	-	-	-
SOUTH ATLANTIC							
Delaware	1	507	-	-	-	38	-
Maryland	12	2,414	-	-	3	211	2
District of Columbia	2	363	78	603	-	44	-
Virginia	-	-	-	-	-	-	-
West Virginia	58	3,216	-	-	-	314	-
North Carolina	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-
Georgia	-	-	498	-	-	140	-
Florida	-	4,390	-	-	-	834	-
EAST SOUTH CENTRAL							
Kentucky	44	6,270	-	-	-	1,696	-
Tennessee	-	-	140,075	-	-	-	-
Alabama	-	1,646	-	-	-	45	-
Mississippi	64	964	-	-	-	-	-
WEST SOUTH CENTRAL							
Arkansas	45	1,071	-	-	-	218	-
Louisiana	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	-	-	-	-	-	783	-
Idaho	11	1,585	-	-	-	52	13
Wyoming	14	34	-	-	-	-	-
Colorado	-	4,249	21,606	-	68	1,549	-
New Mexico	5	1,209	27,192	1,102	-	142	-
Arizona	51	4,617	-	-	-	1,493	11
Utah	16	1,680	-	-	-	143	-
Nevada	5	820	9,737	86	14	-	2
PACIFIC							
Washington	29	14,590	-	-	-	4,230	57
Oregon	-	-	33,356	1,824	104	4,167	-
California	-	26,190	-	-	-	-	-
Alaska	39	1,132	3,532	1,030	75	331	30
Hawaii	-	1,656	3,205	343	-	60	-

UNIVERSITY OF FLORIDA
3 1262 08864 0569

UNIV OF FL LIB
DOCUMENTS DEPT.
U.S. DEPOSITORY

Table 10. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1960
(Diseases reported by six States or less)

Actinomycosis:	Ark. 1, Ind. 1, La. 1, Me. 1, Mich. 1, Mont. 1
Adenovirus infection:	Minn. 13
Animal bites:	Ark. 1,064, N.H. 128, Mich. 19,946
Ascariasis:	Ark. 19, Ky. 2, Md. 2, Minn. 6, Miss. 227, Wyo. 1
Blastomycosis:	Ark. 3
Cat scratch fever:	Colo. 5
Coccidioidomycosis:	Ariz. 649, Calif. 267, Ill. 3, Minn. 1, Wash. 1
Colorado tick fever:	Colo. 242, N.M. 1, Ore. 2, Wyo. 6
Coxsackie infection (excl. meningitis):	Minn. 38
ECHO infection (excl. meningitis):	Minn. 13
Echinococcosis:	Minn. 1
Food poisoning, staphylococcal:	Ill. 31, Me. 2, N.C. 4
Herpes zoster:	N.H. 2
Influenza-like disease:	W. Va. 82,914
Influenza meningitis:	Mich. 27
Keratoconjunctivitis:	Alaska 477, D.C. 1, Hawaii 1, Ind. 142, Mich. 48, N.Y. 5
Listeriosis:	Me. 4
Lymphocytic choriomeningitis:	Ark. 1, Ill. 1, Ind. 14, Mass. 2, Miss. 5, Ore. 3
Moniliasis:	Md. 2
Opthalmia neonatorum:	Minn. 2, Pa. 2
Otitis media:	Alaska 3,058
Pediculosis:	Mich. 131
Q Fever:	Conn. 1, Wisc. 18
Rat-bite fever:	Ohio 1, Ore. 1
Relapsing fever (tick-borne):	Calif. 6, Ore. 1, Tex. 3
Respiratory disease, unspecified:	Alaska 8,876, Nev. 10, N.M. 66
Rickettsialpox:	N.Y. 6
Roseola infantum:	N.M. 160
Scabies:	Colo. 12, Mich. 47, N.D. 45
Schistosomiasis:	N.Y. 371
Staphylococcal infections:	Alaska 335, D.C. 12, Ill. 948, Nev. 2, Ore. 19
Staphylococcal infections, neonatal:	Ill. 61
Taeniasis:	Fla. 12, Ky. 18, Minn. 6, N.M. 1
Toxoplasmosis:	Pa. 2, Me. 4, Minn. 1
Trachoma:	Nev. 2, N.M. 11, N.D. 7
Urethritis, nonspecific:	N.Y. 1,193
Weil's disease:	Hawaii 3

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta 22, Georgia
Official Business

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W.